

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/055,194	10/29/2001	Garland Phillips	29505/PF02194NA	5086
20280 7	590 06/14/2004		EXAMI	NER
MOTOROLA INC 600 NORTH US HIGHWAY 45 ROOM AS437			WEST, LEWIS G	
			ART UNIT	PAPER NUMBER
LIBERTYVILLE, IL 60048-5343			2682	12
			DATE MAILED: 06/14/2004	(-

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
•	10/055,194	PHILLIPS ET AL.				
Office Action Summary	Examiner	Art Unit				
	Lewis G. West	2682				
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	rith the correspondence address				
• •	DI VIQ SET TO EVDIDE 2 N	AONTH(S) EDOM				
A SHORTENED STATUTORY PERIOD FOR RE THE MAILING DATE OF THIS COMMUNICATIO - Extensions of time may be available under the provisions of 37 CFF after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a - If NO period for reply is specified above, the maximum statutory per - Failure to reply within the set or extended period for reply will, by state of the period for reply will be supported by the Office later than three months after the meaning part of the period for reply will be supported by the Office later than three months after the meaning part of the period for reply will be period for reply will be supported by the Office later than three months after the meaning part of the period for reply will be supported by the Office later than three months after the meaning part of the period for reply will be supported by the Office later than three months after the meaning part of the period for reply will be supported by the Office later than three months after the meaning part of the period for reply will be supported by the Office later than three months are period for reply will be supported by the Office later than three months are period for reply will be supported by the Office later than three months are period for reply will be supported by the Office later than three months are period for reply will be supported by the Office later than three months are period for reply will be supported by the Office later than three months are period for reply will be supported by the Office later than three months are period for reply will be supported by the Office later than three months are period for reply will be support	N. R. 1.136(a). In no event, however, may a reply within the statutory minimum of thi iod will apply and will expire SIX (6) MO atute, cause the application to become A	reply be timely filed rty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 20	0 May 2004.					
2a) This action is FINAL . 2b) ⊠ T	This action is FINAL . 2b)⊠ This action is non-final.					
3) Since this application is in condition for allo	☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice unde	er <i>Ex par</i> te Quayle, 1935 C.I	O. 11, 453 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-35</u> is/are pending in the applicat	ion.					
4a) Of the above claim(s) is/are without	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-35</u> is/are rejected.	⊠ Claim(s) <u>1-35</u> is/are rejected.					
7) Claim(s) is/are objected to.	Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction an	d/or election requirement.					
Application Papers						
9) The specification is objected to by the Exam	niner.					
10)⊠ The drawing(s) filed on <u>29 October 2001</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to	the drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the cor	rection is required if the drawing	g(s) is objected to. See 37 CFR 1.121(d).				
11)☐ The oath or declaration is objected to by the	Examiner. Note the attache	d Office Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of:	ign priority under 35 U.S.C.	§ 119(a)-(d) or (f).				
 Certified copies of the priority docum 	ents have been received.					
Certified copies of the priority docum	ents have been received in A	Application No				
3. Copies of the certified copies of the p	•	n received in this National Stage				
application from the International Bur	, , , ,					
* See the attached detailed Office action for a	list of the certified copies no	t received.				
Attachment(s)						
1) Notice of References Cited (PTO-892)		Summary (PTO-413)				
 Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB. 		(s)/Mail Date Informal Patent Application (PTO-152)				
Paper No(s)/Mail Date	6) Other:	· · · · · · · · · · · · · · · · · · ·				

Art Unit: 2682

Response to Arguments

1. Applicant's arguments with respect to claims 1-35 have been considered but are unpersuasive. Aravamudan provides for resource information, including connection type, as well as call mode

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1-35 rejected under 35 U.S.C. 102(e) as being anticipated by Aravamudan et al (US 6,301,609).

Regarding claim 1, Aravamudan discloses, in a communication system, the communication system providing real-time communication service to a plurality of subscribers, wherein a first subscriber is in communication with a second subscriber, a method for providing operating information associated with a wireless device to the second subscriber comprising: providing real-time communication service to a first device and a second device, the first device being a wireless device; gathering device operating information including resource information associated with the first device; and transmitting the device operating information to the second device. (Column 3 lines 26-52, Col. 6 lines 64-Col. 7 line 40)

Art Unit: 2682

Regarding claim 2, Aravamudan discloses the method of claim 1, wherein providing the real-time communication service to a first device and a second device comprises providing one of instant messaging service and group chat service to a first device and a second device. (Col. 6 line 64- col. 7 line 20)

Regarding claim 3, Aravamudan discloses the method of claim 1, wherein receiving operating information associated with the first device comprises receiving operating information associated with the first device in response to a trigger event, wherein the trigger event comprises one of a registration, a subscriber input and a change in status. (Col. 7 line 21-40)

Regarding claim 4, Aravamudan discloses the method of claim 1, wherein receiving operating information associated with the first device comprises receiving status information and the resource information associated with the first device.(Col. 7 lines 21-40)

Regarding claim 5, Aravamudan discloses the method of claim 1, wherein receiving operating information associated with the first device comprises receiving the resource information associated with one of bandwidth, display capability, input capability, link type, link cost, device type, latency and power of the first device. (Col. 9 lines 45-63)

Regarding claim Aravamudan discloses 6, the method of claim 1, wherein receiving operating information associated with the first device comprises receiving operating information associated with one of a cellular telephone, a pager, and an electronic planner. (Col. 3 lines 26-37)

Art Unit: 2682

Regarding claim 7, Aravamudan discloses the method of claim 1, wherein transmitting the operating information to the second device comprises transmitting the operating information to a device operable to generate one of an icon, a graphic image, a textual message, and an audio message based on the operating information. (Col.7 lines 21-40)

Regarding claim 8, Aravamudan discloses the method of claim 1, wherein transmitting the operating information to second device comprises transmitting the operating information to one of a wireless electronic device and a wired electronic device. (Col. 3 lines 26-37; col. 7 lines 21-40)

Regarding claim 9, Aravamudan discloses in a communication system, the communication system providing realtime communication service to a plurality of subscribers, wherein a first subscriber is in communication with a second subscriber, and wherein a communication network is adapted to provide operating information associated with a wireless device to the second subscriber (Col. 6 lines 64-Col. 7 line 40), the communication network comprising: a memory; a communication server coupled to the memory, the real-time communication server being operable to provide real-time communication service to a first device and a second device, the first device being a wireless device; the communication server being operable to gather device operating information including resource information associated with the first device, and the communication server being operable to transmit the device operating information to the second device. (Col. 3 lines 53-Col. 4 line 53)

Regarding claim 10, Aravamudan discloses the communication network of claim 9, wherein the communication server comprises a server being operable to provide one of

Art Unit: 2682

instant messaging service and group chat service to a first device and a second device. (Col. 6 line 64- col. 7 line 20)

Regarding claim 11, Aravamudan discloses the communication network of claim 9, wherein the real-time communication server comprises a real-time communication server being operable to receive operating information associated with the first device in response to a trigger event, the trigger event being one of a registration, a subscriber input, and a change in status. (Col. 7 line 21-40)

Regarding claim 12, Aravamudan discloses the communication network of claim 11, wherein the registration includes the operating information associated with the first device. (Col. 7 line 21-40)

Regarding claim 13, Aravamudan discloses the communication network of claim 9, wherein the operating information associated with the first device comprises status information and the resource information associated with the first device. (Col. 7 line 21-40)

Regarding claim 14, Aravamudan discloses the communication network of claim 9, wherein the operating information comprises the resource information associated with one of bandwidth, display capability, input capability, link type, link cost, device type, latency, and power of the first device. (Col. 9 lines 45-63)

Regarding claim 15, Aravamudan discloses the communication network of claim 9, wherein the operating information associated with the first device comprises operating information associated with of one of a cellular telephone, a pager, and an electronic planner.

Art Unit: 2682

Regarding claim 16, Aravamudan discloses the communication network of claim 9, wherein the communication network comprises an Internet Protocol (IP) network.

(Col. 3 lines 63-66)

Regarding claim 17, Aravamudan discloses in a communication system, the communication system providing realtime communication service to a plurality of subscribers, wherein a first subscriber is in communication with a second subscriber, a method for providing operating information associated with a wireless device to the second subscriber comprising: participating in real-time communication service with a first device, the first device being a wireless device; gathering device operating information including resource information associated with the first device; and generating on the second device an indication to the user of the second device based on the device operating information associated with the first device. (column 3 lines 26-52, Col. 6 lines 64-Col. 7 line 40)

Regarding claim 18, Aravamudan discloses the method of claim 17, wherein participating in real-time communication service with the first device comprises participating in one of instant messaging service and group chat service with the first device. (Col. 6 line 64- col. 7 line 20)

Regarding claim 19, Aravamudan discloses the method of claim 17, wherein receiving operating information associated with the first device comprises receiving the resource information associated with at least one of bandwidth, display capability, input capability, link type, link cost, device type, latency and power of the first device. (Col. 9 lines 45-63)

Art Unit: 2682

Regarding claim 20, Aravamudan discloses the method of claim 17, wherein receiving operating information associated with the first device comprises receiving operating information associated with one of a cellular telephone, a pager, and an electronic planner. (Col. 3 lines 26-37)

Regarding claim 21, Aravamudan discloses the method of claim 17, wherein generating an indication based on the operating information associated with the first device comprises generating an icon, a graphic image, a textual message, and an audio message based on the operating information. (Col. 7 line 21-40)

Regarding claim 22, Aravamudan discloses in a communication system for providing real-time communication service to a plurality of subscribers, wherein a first subscriber is in communication with a second subscriber, and wherein a server operates in accordance to a computer program embodied on a computer-readable medium for providing operating information associated with a wireless device to the second subscriber, the computer program comprising: a first routine that directs the server to provide real-time communication service to a first device and a second device, the first device being a wireless device; a second routine that directs the server to gather device operating information including resource information associated with the first device; and a third routine that directs the server to transmit the device operating information to the second device for display to a user. (Col. 6 lines 64-Col. 7 line 40)

Regarding claim 23, Aravamudan discloses the computer program of claim 22, wherein the first routine comprises a routine that directs the server to provide one of instant messaging service and group chat service to a first device and a second device. (Col. 6 line 64- col. 7 line 20)

Art Unit: 2682

Regarding claim 24, Aravamudan discloses the computer program of claim 22, wherein the second routine comprises a routine that directs the server to receive operating information associated with the first device in response to a trigger event, the trigger event comprises one of a registration, a subscriber input and a change in status. (Col. 7 line 21-40)

Regarding claim 25, Aravamudan discloses the computer program of claim 22, wherein the second routine comprises a routine that directs the server to receive status information and the resource information associated with the first device. (Col. 7 line 21-40)

Regarding claim 26, Aravamudan discloses the computer program of claim 22, wherein the second routine comprises a routine that directs the server to receive information associated with at least one of bandwidth, display capability, input capability, link type, link cost, device type, latency and power of the first device. (Col. 9 lines 45-63)

Regarding claim 27, Aravamudan discloses the computer program of claim 22, wherein the second routine comprises a routine that directs the server to receive operating information associated with one of a cellular telephone, a pager, and an electronic planner. (Col. 3 lines 26-37)

Regarding claim 28, Aravamudan discloses the computer program of claim 22, wherein the third routine comprises a routine that directs the server to transmit the operating information to a device operable to generate one of an icon, a graphic image, a textual message, and an audio message based on the operating information. (Col. 7 line 21-40)

Art Unit: 2682

Regarding claim 29, Aravamudan discloses the computer program of claim 22, wherein the third routine comprises a routine that directs the server to transmit the operating information to one of a wireless electronic device and a wired electronic device. (Col. 3 lines 26-37; Col. 7 line 21-40)

Regarding claim 30, Aravamudan discloses the computer program of claim 22, wherein the medium comprises one of paper, a programmable gate array, application specific integrated circuit, an erasable programmable read only memory, read only memory, random access memory, magnetic media, and optical media. (Col. 3 lines 26-37)

Regarding claim 31, Aravamudan discloses the method of claim 1, wherein displaying the device operating information associated with the first device comprises generating one of more of a graphical icon, a graphic image, a textual message or an audio message. (column 3 lines 26-52; Col. 9 line 64-col. 10 line 15)

Regarding claim 32, Aravamudan discloses the method of claim 17, wherein generating on the second device an indication to the user of the second device comprises generating one or more of a graphic icon, a graphic image, a textual message, or an audio message. (column 3 lines 26-52; Col. 9 line 64-col. 10 line 15)

Regarding claim 33, Aravamudan discloses, in a communication system, the communication system providing real time communication service to a plurality of subscribers, wherein a first subscriber is in communication with a second subscriber, a method for providing operating information associated with a wireless device to the

Art Unit: 2682

second subscriber comprising: providing real-time communication service to a first device and a second device, the first device being a wireless device; gathering operating mode information associated with the first device, the operating mode including at least one of a private mode and a call mode; and transmitting the operating mode information to the second device. (Col. 6 lines 64-Col. 7 line 40)

Regarding claim 34, Aravamudan discloses, in a communication system, the communication system providing real time communication service to a plurality of subscribers, wherein a first subscriber is in communication with a second subscriber, and wherein a communication network is adapted to provide operating information associated with a wireless device to the second subscriber, the communication network comprising: a memory; a communication server coupled to the memory, the real-time communication server being operable to provide real-time communication service to a first device and a second device, the first device being a wireless device; the communication server being operable to gather operating mode information associated with the first device, the operating mode information including at least one of a private mode and a call mode; and the communication server being operable to transmit the operating mode information to the second device. (Col. 6 lines 64-Col. 7 line 40)

Regarding claim 35, Aravamudan discloses, in a communication system, the communication system providing real time communication service to a plurality of subscribers, wherein a first subscriber is in communication with a second subscriber, a method for providing operating information associated with a wireless device to the second subscriber comprising: participating in real-time communication service with a first device, the first device being a wireless device; gathering operating mode

Art Unit: 2682

information associated with the first device, the operating mode including at least one of a private mode and a call mode; and generating on the second device an indication to the user of the second device based on the device operating information associated with the first device. (Col. 6 lines 64-Col. 7 line 40)

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lewis G. West whose telephone number is 703-308-9298. The examiner can normally be reached on Monday-Thursday 6:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vivian Chin can be reached on 703-308-6739. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lewis West

(703) 308-9298

M

LEE NGUYEN /